PRECISION SURFACES INTERNATIONAL, INC.

922 Ashland Houston, TX 77008-6734 713-426-2220 Fax: 713-426-2223

SAFETY DATA SHEET

SECTION 1: IDENTIFICATION

Product Name:	Diamond Compound, Water Soluble		
Product Identifier:	PSI-5xx-5	PSI-5xx-18	
	PSI-5xxH-5	PSI-5xxH-18	
	PSI-5xxN-5	PSI-5xxN-18	
	PSI-5xxPC-5	PSI-5xxPC-18	
	PSI-5xxMC-100B		xx=micron size
Supplier:	Precision Surfaces Inte	rnational, Inc.	
	922 Ashland, Houston,	TX 77008-6734	
Emergency Telephone:	Infotrac 800-535-50	53	
Recommended Use:	Abrasive Polishing Con	npound	

SECTION 2: Hazard(s) Identification

According to: Regulation (EC) No 1272/2008 (CLP)/REACH 1907/2006 [amended by 453/2010]

Hazard Classification Eye Irritation 2 H319 EUH208

Label Elements

Signal Word Warning

Pictograms



Hazard Statements H319 – Causes serious eye irritation EUH208 – Contains sensitizing substance. May produce an allergic reaction.

Precautionary Statements

Prevention

P264 Wash thoroughly after handling. P281 Use personal protective equipment as required.

Response

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

Storage/Disposal

P403+P233 Store in a well ventilated place. Keep container tightly closed. P501 Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Other Hazards

According to Regulation (EC) No. 1272/2008 (CLP) this material is considered hazardous.

SECTION 3: Composition/Information on Ingredients

Substances

Material does not meet the criteria of a substance.

Mixtures

Ingredient	Identifiers	% by Weight	Classifications According to
Polyalkylene glycol monobutyl ether	CAS: 9038-95-3	60 - 70	EU CLP: Eye Irrit. 2, H319
Diamond	CAS: 7782-40-3	1 – 30	
Amorphous silica	CAS: 112945-52-5	5 – 15	
Butyl alcohol	CAS: 71-36-3 EC Number: 200-751-6 EU Index: 603-004-00-6 UN: UN1120	< 0.5	EU CLP: EU CLP, Annex VI, Table 3.1: Flam. Liq. 3, H226; Acute Tox. 4 *, H302; STOT SE 3, H335; Skin Irrit. 2, H315; Eye Dam. 1, H318; STOT SE 3, H336
Ethylene glycol monobutyl ether	CAS: 111-76-2 EC Number: 203-905-0 EU Index: 603-014-00-0	<= 0.1	EU CLP: EU CLP, Annex VI, Table 3.1: Acute Tox. 4 *, H332; Acute Tox. 4 *, H312; Acute Tox. 4 *, H302; Eye Irrit. 2, H319; Skin Irrit. 2, H315
Ethanol, 2-(2-(2- butoxyethoxy)ethoxy)	CAS: 143-22-6 EC Number: 205-592-6 EU Index: 603-183-00-0	<= 0.1	EU CLP: Annex VI, Table 3.1: Eye Dam. 1, H318
Diethylene glycol monobutyl ether	CAS: 112-34-5 EC Number: 203-961-6 EU Index: 603-096-00-8	<= 0.1%	EU CLP: Annex VI, Table 3.1: Eye Irrit. 2, H319
Phenol, pmethoxy	CAS: 150-76-5 EC Number: 205-769-8 EU Index: 604-044-00-7	<= 0.01	EU CLP: EU CLP, Annex VI, Table 3.1: Acute Tox. 4 *, H302; Eye Irrit. 2, H319; Skin Sens. 1, H317

GHS = Globally Harmonized System of Classification and Labelling of Chemicals REACH = Registration, Evaluation, Authorization and Restriction of Chemicals UN = United Nations

This product does not contain any additional significantly hazardous material according to UN GHS. For components requiring REACH registration numbers (Regulation (EC) No 1907/2006) the number has been listed. All other components of this material do not require REACH registration. The composition of this product is proprietary.

SECTION 4: First-aid Measures

Description of first aid measures

Inhalation

IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

Skin Contact

IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention.

Eye Contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Ingestion

Never give anything by mouth to an unconscious person. If swallowed, do NOT induce vomiting unless directed to do so by medical personnel.

Most important symptoms and effects, both acute and delayed

Skin or eye irritation, stomach ache, nausea, dizziness, or headache.

Indication of any immediate medical attention and special treatment required

Notes to Physician

Treat symptomatically.

SECTION 5: Fire-fighting Measures

Suitable extinguishing media

In case of fire use media as appropriate for surrounding fire.

Unsuitable extinguishing media

None known.

Firefighting procedures

Keep unauthorized personnel away. LARGE FIRES: Dike fire-control water for later disposal.

Special hazards arising from the substance or mixture

Unusual fire and explosion hazards None expected.

Hazardous combustion products

Oxides of carbon.

Advice for firefighters

Structural firefighters' protective clothing will only provide limited protection. Wear positive pressure self-contained breathing apparatus (SCBA).

SECTION 6: Accidental Release Measures

Protective equipment and emergency procedures

Personal Precautions

Ventilate enclosed areas. Use appropriate Personal Protective Equipment (PPE). Do not walk through spilled material.

Emergency Procedures

Keep unauthorized personnel away. Stay upwind. Use normal clean up procedures.

Environmental Precautions

LARGE SPILLS: Prevent entry into waterways, sewers, basements, or confined areas.

Methods and materials for containment and clean up

Containment/Clean-up Measures

Absorb or cover with dry earth, sand or other noncombustible material and transfer to containers.

Reference to other sections

Refer to Section 8 Exposure Controls/Personal Protection and Section 13 Disposal Considerations.

Other Information

Caution: spill area may become slippery.

SECTION 7: Handling and Storage

Precautions for safe handling

Avoid contact with skin, eyes, and clothing. Use appropriate Personal Protective Equipment (PPE) Use good safety and industrial hygiene practices. Wash thoroughly after handling.

Conditions for safe storage including any incompatibilities

Keep container/package tightly closed in a cool, well ventilated place. Keep at temperatures above freezing. Allowing freezing conditions may degrade product.

SECTION 8: Exposure Controls/Personal Protection

Control Parameters

Occupational exposure limits/guidelines

Ingredient	C.A.S. No.	Result	ACGIH	Europe	Finland	France	Germany
							DFG
Phenol,	150-76-5	TWAs	5 mg/m3 TWA	Not	Not	5 mg/m3 TWA [VME]	Not
pmethoxy				established	established		established
Diethylene glycol	112-34-5	STELs	Not	15 ppm	Not	15 ppm STEL [VLCT]	Not
monobutyl ether			established	STEL; 101.2	established	(indicative limit);	established
				mg/m3 STEL		101.2 mg/m3 STEL	
						[VLCT] (indicative	
						limit)	
Diethylene glycol	112-34-5	TWAs	10 ppm TWA	10 ppm	10 ppm	10 ppm TWA [VME]	Not
monobutyl ether			(inhalable	TWA; 67.5	TWA; 68	(indicative limit); 67.5	established
-			fraction and	mg/m3 TWA	mg/m3 TWA	mg/m3 TWA [VME]	
			vapor)	-	_	(indicative limit)	
Diethylene glycol	112-34-5	Ceilings	Not	Not	Not	Not established	15 ppm Peak;
monobutyl ether			established	established	established		100.5 mg/m3
							Peak
Diethylene glycol	112-34-5	MAKs	Not	Not	Not	Not established	10 ppm TWA
monobutyl ether			established	established	established		MAK; 67
							mg/m3 TWA
							MAK

Ethylene glycol monobutyl ether	111-76-2	STELs	Not established	Not established	50 ppm STEL; 250 mg/m3 STEL	50 ppm STEL [VLCT] (restrictive limit); 246 mg/m3 STEL [VLCT] (restrictive limit)	Not established
Ethylene glycol monobutyl ether	111-76-2	TWAs	20 ppm TWA	Not established	20 ppm TWA; 98 mg/m3 TWA	10 ppm TWA [VME] (restrictive limit); 49 mg/m3 TWA [VME] (restrictive limit)	Not established
Ethylene glycol monobutyl ether	111-76-2	Ceilings	Not established	Not established	Not established	Not established	20 ppm Peak; 98 mg/m3 Peak
Ethylene glycol monobutyl ether	111-76-2	MAKs	Not established	Not established	Not established	Not established	10 ppm TWA MAK; 49 mg/m3 TWA MAK
Butyl alcohol	71-36-3	STELS	Not established	Not established	75 ppm STEL (listed under Butanol); 230 mg/m3 STEL (listed under Butanol)	50 ppm STEL [VLCT]; 150 mg/m3 STEL [VLCT]	Not established
Butyl alcohol	71-36-3	TWAs	20 ppm TWA	Not established	50 ppm TWA (listed under Butanol); 150 mg/m3 TWA (listed under Butanol)	Not established	Not established
Butyl alcohol	71-36-3	Ceilings	Not established	Not established	Not established	Not established	100 ppm Peak; 310 mg/m3 Peak
Butyl alcohol	71-36-3	MAKs	Not established	Not established	Not established	Not established	100 ppm TWA MAK; 310 mg/m3 TWA MAK

Ingredient	C.A.S. No.	Result	Italy	Netherlands	NIOSH	OSHA	Switzerland
Phenol,	150-76-5	TWAs	Not established	Not	5 mg/m3 TWA	Not	Not
pmethoxy				established		established	established
Phenol,	150-76-5	MAKs	Not established	Not	Not established	Not	10 ppm TWA
pmethoxy				established		established	[MAK]; 67
							mg/m3 TWA
							[MAK]
Diethylene glycol	112-34-5	STELs	15 ppm STEL Breve	100 mg/m3	Not established	Not	15 ppm STEL
monobutyl ether			termine; 101.2	STEL		established	[KZW]; 101
			mg/m3 STEL Breve				mg/m3 STEL
			termine				[KZW]
Diethylene glycol	112-34-5	TWAs	10 ppm TWA; 67.5	50 mg/m3	Not established	Not	Not
monobutyl ether			mg/m3 TWA	TWA		established	established
Ethylene glycol	111-76-2	MAKs	Not established	Not	Not established	Not	10 ppm TWA
monobutyl ether				established		established	[MAK]; 49
							mg/m3 TWA
							[MAK]
Ethylene glycol	111-76-2	STELs	50 ppm STEL Breve	246 mg/m3	Not established	Not	20 ppm STEL
monobutyl ether			termine; 246	STEL		established	[KZW]; 98
			mg/m3 STEL Breve				mg/m3 STEL
			termine				[KZW]
Ethylene glycol	111-76-2	TWAs	20 ppm TWA; 98	100 mg/m3	5 ppm TWA; 24	50 ppm	Not
monobutyl ether			mg/m3 TWA	TWA	mg/m3 TWA	TWA; 240	established
						mg/m3 TWA	

Butyl alcohol	71-36-3	MAKs	Not established	Not established	Not established	Not established	50 ppm TWA [MAK]; 150 mg/m3 TWA [MAK]
Butyl alcohol	71-36-3	STELS	Not established	Not established	Not established	Not established	50 ppm STEL [KZW]; 150 mg/m3 STEL [KZW]
Butyl alcohol	71-36-3	TWAs	Not established	Not established	Not established	100 ppm TWA; 300 mg/m3 TWA	Not established
Butyl alcohol	71-36-3	Ceilings	Not established	Not established	50 ppm Ceiling; 150 mg/m3 Ceiling	Not established	Not established
Amorphous silica	112945-52-5	MAKs	Not established	Not established	Not established	Not established	4 mg/m3 TWA [MAK] (Silica manufactured by wet processing, inhalable)

Exposure Control Notations

Switzerland

Butyl alcohol (71-36-3): **Developmental Risk Groups:** (Developmental Risk Group C) Diethylene glycol monobutyl ether (112-34-5): **Developmental Risk Groups:** (Developmental Risk Group C) Ethylene glycol monobutyl ether (111-76-2): **Developmental Risk Groups:** (Developmental Risk Group C) **Skin:** (skin notation)

Netherlands

Diethylene glycol monobutyl ether (112-34-5): **Skin:** (skin notation) Ethylene glycol monobutyl ether (111-76-2): **Skin:** (skin notation)

Finland

Butyl alcohol (71-36-3): **Skin:** (Potential for cutaneous absorption) Ethylene glycol monobutyl ether (111-76-2): **Skin:** (Potential for cutaneous absorption)

OSHA

Ethylene glycol monobutyl ether (111-76-2): Skin: (prevent or reduce skin absorption)

NIOSH

Butyl alcohol (71-36-3): **Skin:** (Potential for dermal absorption) Ethylene glycol monobutyl ether (111-76-2): **Skin:** (Potential for dermal absorption)

Germany DFG

Butyl alcohol (71-36-3): **Pregnancy:** (no risk to embryo/fetus if exposure limits adhered to) Diethylene glycol monobutyl ether (112-34-5): **Pregnancy:** (no risk to embryo/fetus if exposure limits adhered to) Ethylene glycol monobutyl ether (111-76-2) **Carcinogens:** (Category 4 (no significant contribution to human cancer)) **Pregnancy:** (no risk to embryo/fetus if exposure limits adhered to) | **Skin:** (skin notation)

Exposure Controls

Engineering Measures/Controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Personal Protective Equipment (PPE)

Respiratory

Under normal conditions, respiratory protection is not necessary. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or symptoms are experienced.

Eye/Face

Wear chemical splash safety goggles.

Hands

Wear protective gloves single use latex or nitrile gloves with penetration time of greater than 120 minutes. (EN 374 Part 3: Level 4 or higher).

Skin/Body

Wear protective gloves/protective clothing/eye protection/face protection.

General Industrial Hygiene Considerations

Handle in accordance with good industrial hygiene and safety practice.

Environmental Exposure Controls

Prevent entry into waterways, sewers, basements,, or confined areas.

Key to abbreviations

ACGIH = American Conference of Governmental Industrial Hygiene OSHA = Occupational Safety and Health Administration

CFR = Code of Federal Regulations

STEL = Short Term Exposure Limits are based on 15-minute exposures

MAK = Maximale Arbeitsplatz Konzentration is the maximum permissible concentration

TWA = Time Weighted Averages are based on 8h/day, 40h/week exposures

MSHA = Mine Safety and Health Administration

VME = Valeur Moyenne d'Exposition is the maximum permissible concentration for a work day

NIOSH = National Institute of Occupational Safety and Health

SECTION 9: Physical and Chemical Properties

Physical State:	Liquid
Color:	White to grey (may be dyed other colors)
Odor:	Mild Odor
Odor Threshold:	No Data Available
pH:	9 to 10
Melting Point:	< -20°C (< -4°F)
Boiling Point:	> 30°C (>266°F)
Evaporation Rate:	No Data Available
Flash Point:	> 200°C (> 392°F) estimated
Flammability (solid, gas):	No Data Available
Flammable Limits (LEL):	No Data Available
Flammable Limits (UEL):	No Data Available
Vapor Pressure:	No Data Available

Vapor Density:	No Data Available
Specific Gravity/Relative Density:	1.05 to 1.2 @ 4°C (39.2°F) Water = 1
Water Solubility:	Insoluble
Solvent Solubility:	Organic Solvent Soluble
Autoignition Temperature:	No Data Available
Decomposition Temperature:	No Data Available
Viscosity:	No Data Available
Explosive Properties:	No Data Available
Octanol/Water Partition Coefficient	No Data Avaialble

SECTION 10: Stability and Reactivity

Reactivity

No dangerous reaction known under conditions of normal use.

Chemical Stability

Stable under normal temperatures and pressures.

Conditions to avoid

Keep at temperatures above freezing. Allowing freezing conditions may degrade product.

Possibility of hazardous reactions

Hazardous polymerization will not occur.

Incompatibility

No data available.

Hazardous Decomposition Products

Hazardous decomposition may occur during combustion, generating oxides of carbon.

SECTION 11: Toxicological Information

Other Material Information

No toxicological information is available for the material as a whole.

GHS Properties Respiratory Sensitization Serious eye damage/Irritation Acute toxicity	Classification EU/CLP – Classification criteria not met EU/CLP – Eye Irritation 2 EU/CLP – Acute Toxicity Classification criteria not met; Acute Toxicity Dermal Classification criteria not met; Acute Toxicity Inhalation Classification criteria
Aspiration Hazard	not met; Acute Toxicity Oral Classification criteria not met
Carcinogenicity	EU/CLP – Classification criteria not met
Skin corrosion/Irritation	EU/CLP – Classification criteria not met
Skin sensitization	EU/CLP – Classification criteria not met
STOT-RE	EU/CLP – Classification criteria not met
STOT-SE	EU/CLP – Classification criteria not met
Toxicity for Reproduction	EU/CLP – Classification criteria not met
Germ Cell Mutagenicity	EU/CLP – Classification criteria not met

Potential Health Effects

Inhalation

Acute (Immediate) – Under normal conditions of use, no health effects are expected. Chronic (delayed) - Under normal conditions of use, no health effects are expected.

Skin

Acute (Immediate) – Under normal conditions of use, no health effects are expected. Chronic (delayed) - Under normal conditions of use, no health effects are expected.

Eye

Acute (Immediate) – Causes serious eye irritation. Chronic (delayed) - Under normal conditions of use, no health effects are expected.

Ingestion

Acute (Immediate) – Under normal conditions of use, no health effects are expected. Chronic (delayed) - Under normal conditions of use, no health effects are expected.

Carcinogenicity Effects

No component of this material in amounts greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by IARC, NTP, or OSHA.

Other Information

While this mixture is not classified as a skin sensitizer, it does contain a sensitizing substance.

Key to Abbreviations

IARC = International Agency for Research on Cancer NTP = National Toxicology Program OSHA = Occupational Safety and Health Administration

SECTION 12: Ecological Information

Toxicity

This product is not expected to have toxic effects on aquatic life. It is recommended that necessary precautions be taken to prevent release of this material into sewers, streams or bodies of water.

Persistence and degradability

This material is readily biodegradable.

Bioaccumulative potential No indication of bioaccumulation potential.

Mobility in Soil No data available.

Results of PBT and vPvB assessment No data available

Other adverse effects No studies have been found.

Other Information No data available.

SECTION 13: Disposal Considerations

Waste treatment methods

Product waste

Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Packaging waste

Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

SECTION 14: Transport Information

	14.1 UN	14.2 UN proper	14.3 Transport	14.4 Packing	14.5 Environmental
	number	shipping name	hazard class(es)	group	hazards
DOT	NDA	Not Regulated	NDA	NDA	NDA
IMO/IMDG	NDA	Not Regulated	NDA	NDA	NDA
IATA/ICAO	NDA	Not Regulated	NDA	NDA	NDA

Special precautions for user

None specified.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

This product is provided only in non-bulk containers.

Other information

This material is not a regulated hazardous material with respect to the following transportation regulations: United States Department of Transportation (US DOT), International Air Transport Association (IATA), or International Maritime Dangerous Goods (IMDG).

Key to abbreviations

NDA = No Data Available

SECTION 15: Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Inventory					
Component	C.A.S No	EU EINECS	EU ELNICS	TSCA	
Butyl alcohol	71-36-3	Yes	No	Yes	
Amorphous silica	112945-52-5	No	No	No	
Diamond	7782-40-3	Yes	No	Yes	
Diethylene glycol monobutyl ether	112-34-5	Yes	No	Yes	
Ethanol, 2-(2-(2-butoxyethoxy) ethoxy)-	143-22-6	Yes	No	Yes	
Ethylene glycol monobutyl ether	111-76-2	Yes	No	Yes	
Phenol, p-methoxy-	150-76-5	Yes	No	Yes	
Polyalkylene glycol monobutyl ether	9038-95-3	No	No	Yes	

Europe

Other

EU CLP (1272/2008) Annex VI Table 3.2 Classification

Amorphous silica	112945-52-5	Not Listed
Diamond	7782-40-3	Not Listed
Polyalkylene glycol monobutyl ether	9038-95-3	Not Listed
Butyl alcohol	71-36-3	R10 Xn; R22 Xi; R37/38-41 R67
Diethylene glycol monobutyl ether	112-34-5	Xi; R36
Ethylene glycol monobutyl ether	111-76-2	Xn; R20/21/22 Xi; R36/38
Ethanol, 2-(2-(2-butoxyethoxy)ethoxy)-	143-22-6	Xi; R41
Phenol, pmethoxy-	150-76-5	Xn; R22 Xi; R36 R43

EU CLP (1272/2008) Annex VI Table 3.2 Concentration Limits

Amorphous silica	112945-52-5	Not Listed
Diamond	7782-40-3	Not Listed
Polyalkylene glycol monobutyl ether	9038-95-3	Not Listed
Butyl alcohol	71-36-3	Not Listed
Diethylene glycol monobutyl ether	112-34-5	Not Listed
Ethylene glycol monobutyl ether	111-76-2	Not Listed
Ethanol, 2-(2-(2-butoxyethoxy)ethoxy)-	143-22-6	30%<=C: Xi; R:41 20% <=C<30%: Xi; R:36
Phenol, pmethoxy-	150-76-5	Not Listed

EU CLP (1272/2008) Annex VI Table 3.2 Labelling

Amorphous silica	112945-52-5	Not Listed
Diamond	7782-40-3	Not Listed
Polyalkylene glycol monobutyl ether	9038-95-3	Not Listed
Butyl alcohol	71-36-3	Xn R:10-22-37/38-41-67 S:(2)-7/9-13-26-
		37/39-46
Diethylene glycol monobutyl ether	112-34-5	Xi R:36 S:(2)-24-26
Ethylene glycol monobutyl ether	111-76-2	Xn R:20/21/22-36/38 S:(2)-36/37-46
Ethanol, 2-(2-(2-butoxyethoxy)ethoxy)-	143-22-6	Xi R:41 S:(2)-26-39-46
Phenol, pmethoxy-	150-76-5	Xn R:22-36-43 S:(2)-24/25-26-37/39-46

EU CLP (1272/2008) Annex VI Table 3.2 Notes Substances and Preparations

	•
112945-52-5	Not Listed
7782-40-3	Not Listed
9038-95-3	Not Listed
71-36-3	Not Listed
112-34-5	Not Listed
111-76-2	Not Listed
143-22-6	Not Listed
150-76-5	Not Listed
	112945-52-5 7782-40-3 9038-95-3 71-36-3 112-34-5 111-76-2 143-22-6 150-76-5

EU CLP (1272/2008) Annex VI Table 3.2 Safety Phrases

Amorphous silica	112945-52-5	Not Listed
Diamond	7782-40-3	Not Listed
Polyalkylene glycol monobutyl ether	9038-95-3	Not Listed
Butyl alcohol	71-36-3	S:(2)-7/9-13-26-37/39-46
Diethylene glycol monobutyl ether	112-34-5	S:(2)-24-26
Ethylene glycol monobutyl ether	111-76-2	S:(2)-36/37-46
Ethanol, 2-(2-(2-butoxyethoxy)ethoxy)-	143-22-6	S:(2)-26-39-46
Phenol, pmethoxy-	150-76-5	S:(2)-24/25-26-37/39-46

Chemical Safety Assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other Information

Relevant Phrases (code & full text)

R10 Flammable.

R20/21/22 Harmful by inhalation, in contact with skin and if swallowed.

R22 Harmful if swallowed.

R36 Irritating to eyes.

R36/38 Irritating to eyes and skin.

R37/38 Irritating to respiratory system and skin.

R41 Risk of serious damage to eyes.

R43 May cause sensitisation by skin contact.

R67 Vapours may cause drowsiness and dizziness.

S2 Keep out of reach of children.

S24 Avoid contact with skin.

S24/25 Avoid contact with skin and eyes.

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S36/37 Wear suitable protective clothing and gloves.

S37 Wear suitable gloves.

S37/39 Wear suitable gloves and eye/face protection.

S39 Wear eye/face protection.

S45 In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

S46 If swallowed seek medical advice immediately and show this container label.

H319 Causes serious eye irritation

P264 Wash thoroughly after handling.

P281 Use personal protective equipment as required.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P403+P233 Store in a well ventilated place. Keep container tightly closed.

P501 Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

The above information and recommendation are believed to be accurate and reliable. However, no warranty, either expressed or implied, is made as to its accuracy or completeness and none is made as to fitness of this material for any purpose. The manufacturer or supplier shall not be liable for damages to person or property resulting from its use. Nothing herein shall be construed as a recommendation for use in violation of any patent.

Issue Date: 09/10/15 **Review Date:** 05/15/17